

View Online at <https://aerobasegroup.com/nsn/4730-00-969-6653>

**Thread Class:**

3a 2nd end

**Bolt Hole Quantity:**

4 1st end

**Maximum Operating Temp:**

610.0 degrees fahrenheit single response

**Connection Style:**

Swivel, plain (hose) 2nd end

**Leg Length:**

2.063 inches 2nd end

**Width:**

1.750 inches 1st end

**Length:**

1.750 inches 1st end

**Flange Shape:**

Rectangular with holes 1st end

**Connection Type:**

Threaded external hose 2nd end

**Maximum Operating Pressure:**

1250.0 pounds per square inch 2nd response

**Thread Size:**

1.375 inches 2nd end

**Flow Angle:**

45.0 degrees

**Thickness:**

0.234 inches 1st end

**Bolt Hole Diameter:**

0.205 inches 1st end

**Center To Center Distance Between Bolt Holes Along Length:**

1.312 inches 1st end

**Center To Center Distance Between Bolt Holes Along Width:**

1.312 inches 1st end

**Flange Face Design:**

Raised swivel 1st end

**Raised Face Height:**

0.020 inches 1st end

**Raised Face Diameter:**

1.500 inches 1st end

**Material:**

Steel comp 321 shoulder

**Material Specification:**

Qq-s-763 federal specification single material response union

**Media For Which Designed:**

Fuel 1st response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-f-27272 military specification single treatment response

**Thread Series Designator:**

Unef 2nd end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A080b0

**Mil-std (military Standard):**

Mil-t-8808 spec.