NSN 4730-00-978-7952

Tube Elbow - Page 1 of 2



View Online at https://aerobasegroup.com/psp//730-00-078-7052

| View Online at https://aerobasegroup.com/nsn/4/30-00-9/8-/952 |
|--|
| Thread Class: |
| 3a all ends |
| Maximum Operating Temp: |
| 135.0 degrees celsius single response |
| Connection Style: |
| |
| Leg Length: |
| 1.650 inches 1st end |
| Connection Type: |
| Threaded external tube all ends |
| Maximum Operating Pressure: |
| 3000.0 pounds per square inch single response |
| Thread Size: |
| 0.875 inches all ends |
| Seat Angle: |
| 12.0 degrees all ends |
| Flow Angle: |
| 90.0 degrees |
| Outside Diameter Tube Accommodated: |
| 0.625 inches all ends |
| Special Features: |
| Designed for fluid and fuel |
| Material: |
| Steel comp 304 |
| Material Specification: |
| Qq-s-763 federal specification single material response |
| Media For Which Designed: |
| Fluid single response |
| Surface Treatment: |
| Passivate outside |
| Surface Treatment Specification: |
| Mil-s-5002 military specification single treatment response inside |
| Thread Series Designator: |
| Unjf 1st end bulkhead |
| Specification Data: |
| 96906-ms21926 government standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

No

Demilitarization:

NSN 4730-00-978-7952

Tube Elbow - Page 2 of 2



Fiig:

A080b0

Mil-std (military Standard):

Mil-f-14072 spec.