

View Online at <https://aerobasegroup.com/nsn/4730-00-979-3771>

Extended Washer Diameter:

0.420 inches

Concentric Hole Depth:

0.560 inches

Concentric Hole Diameter:

Between 0.062 inches and 0.064 inches

Overall Length:

0.990 inches

Second End Thread Class:

3a

Second End Thread Direction:

Right-hand

Width Across Flats:

Between 0.367 inches and 0.376 inches

Wrenching Feature Style:

Extended washer

First Diameter From Wrenching Feature:

Between 0.240 inches and 0.250 inches

Second Diameter From Wrenching Feature:

0.160 inches

Third Diameter From Wrenching Feature:

Between 0.247 inches and 0.248 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.090 inches and 0.100 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.710 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

0.810 inches

First Radial Fluid Hole Diameter:

Between 0.022 inches and 0.027 inches

Second Radial Fluid Hole Diameter:

Between 0.022 inches and 0.027 inches

Distance From First Radial Hole Center To End Of Bolt:

0.510 inches

Distance From Second Radial Hole Center To End Of Bolt:

0.450 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

0.810 inches

Wrenching Feature Height:

0.180 inches

Hardness Rating:

Between 18.0 rockwell c and 26.0 rockwell c

Second End Thready Qty Per Inch (tpi):

24

Second End Thread Size:

0.3125 inches

Second End Thread Series Designator:

Unf

Material:

Stainless steel

Material Specification:

Ams5613 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0