

View Online at <https://aerobasegroup.com/nsn/4730-00-989-6074>

Thread Class:

3a 1st end

Bolt Hole Quantity:

4 2nd end

Maximum Operating Temp:

135.0 degrees celsius single response

Connection Style:

Flared (tube) 1st end

Width:

1.468 inches 2nd end

Length:

1.468 inches 2nd end

Flange Shape:

Rectangular with holes 2nd end

Connection Type:

Threaded external tube 1st end

Maximum Operating Pressure:

1500.0 pounds per square inch single response

Thread Size:

0.875 inches 1st end

Seat Angle:

37.0 degrees 1st end

Thickness:

0.250 inches 2nd end

Bolt Hole Diameter:

0.205 inches 2nd end

Center To Center Distance Between Bolt Holes Along Length:

1.038 inches 2nd end

Center To Center Distance Between Bolt Holes Along Width:

1.038 inches 2nd end

Flange Face Design:

Raised straight 2nd end

Raised Face Height:

0.015 inches 2nd end

Raised Face Diameter:

1.000 inches 2nd end

Outside Diameter Tube Accommodated:

0.625 inches 1st end

Nominallength:

1.308 inches

Material:

Aluminum alloy

Media For Which Designed:

Oil 2nd response

Surface Treatment:

Anodize outside

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response outside

Thread Series Designator:

Unf 1st end

Specification Data:

81343-as4875/1 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0

Mil-std (military Standard):

Mil-a-8625 spec.