NSN 4730-01-015-2733

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-015-2733

| Body Style: |
|---|
| Relieved |
| Concentric Hole Depth: |
| 0.812 inches |
| Concentric Hole Diameter: |
| 0.375 inches |
| Overall Length: |
| 1.875 inches |
| First End Connection Type: |
| Threaded external tube |
| First End Style Designator: |
| Plain |
| First End Thread Class: |
| 2a |
| First End Thread Direction: |
| Right-hand |
| Width Across Flats: |
| 1.500 inches |
| First End Thread Length: |
| 0.312 inches |
| Wrenching Feature Style: |
| Hexagon |
| First Diameter From Wrenching Feature: |
| 1.675 inches |
| Second Diameter From Wrenching Feature: |
| 1.375 inches |
| Length From Bearing Surface Of Wrenching Feature To End Of First Diameter: |
| 0.156 inches |
| Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter: |
| 0.875 inches |
| First Radial Fluid Hole Diameter: |
| 0.250 inches |
| Distance From First Radial Hole Center To End Of Bolt: |
| 0.688 inches |
| Length From Bearing Surface Of Wrenching Feature To Bolt End: |
| 1.375 inches |
| Wrenching Feature Height: |
| 0.281 inches |
| First End Thready Qty Per Inch (tpi): |
| 12 |
| First End Thread Series Designator: |
| I la |

Un

NSN 4730-01-015-2733

Fluid Passage Bolt - Page 2 of 2



| First End Thread Size: |
|------------------------------|
| 1.750 inches |
| Special Features: |
| Used on grumman a10 aircraft |
| Material: |
| Copper alloy |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A121a0