

View Online at <https://aerobasegroup.com/nsn/4730-01-039-8920>

Body Style:

Plain

Concentric Hole Depth:

Between 0.770 inches and 0.830 inches

Concentric Hole Diameter:

Between 0.080 inches and 0.100 inches

Overall Length:

Between 1.130 inches and 1.170 inches

Second End Style Designator:

Plain

Second End Thread Class:

2a

Second End Thread Direction:

Right-hand

Width Across Flats:

Between 0.362 inches and 0.378 inches

Second End Thread Length:

Between 0.290 inches and 0.330 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.244 inches and 0.249 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.600 inches and 0.620 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

Between 0.890 inches and 0.930 inches

First Radial Fluid Hole Diameter:

Between 0.080 inches and 0.100 inches

Distance From First Radial Hole Center To End Of Bolt:

Between 0.430 inches and 0.470 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

Between 0.960 inches and 1.000 inches

Wrenching Feature Height:

Between 0.160 inches and 0.180 inches

Second End Thread Qty Per Inch (tpi):

20

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Unc

Material:

Steel

Material Specification:

Qq-s-764, type 303, cond a federal specification single material response

Surface Treatment:

Passivate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0