

View Online at <https://aerobasegroup.com/nsn/4730-01-044-3184>

**Body Style:**

Plain

**Concentric Hole Depth:**

Between 0.922 inches and 0.952 inches

**Concentric Hole Diameter:**

Between 0.172 inches and 0.180 inches

**Overall Length:**

Between 1.365 inches and 1.385 inches

**Second End Thread Class:**

3a

**Second End Thread Direction:**

Right-hand

**Width Across Flats:**

Between 0.677 inches and 0.697 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.434 inches and 0.435 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.851 inches and 0.861 inches

**First Radial Fluid Hole Diameter:**

Between 0.271 inches and 0.291 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.781 inches and 0.811 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.177 inches and 1.197 inches

**Wrenching Feature Height:**

Between 0.163 inches and 0.183 inches

**Pressure Rating:**

6000.000 pounds per square inch

**Second End Thready Qty Per Inch (tpi):**

20

**Second End Thread Size:**

0.438 inches

**Second End Thread Series Designator:**

Unf

**Material:**

Titanium, mil-t-9047, comp 6

**Material Specification:**

Ams 6931 assn standard 1st material response and ams 4928q assn standard 2nd material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0