

View Online at <https://aerobasegroup.com/nsn/4730-01-044-3184>

Body Style:

Plain

Concentric Hole Depth:

Between 0.922 inches and 0.952 inches

Concentric Hole Diameter:

Between 0.172 inches and 0.180 inches

Overall Length:

Between 1.365 inches and 1.385 inches

Second End Thread Class:

3a

Second End Thread Direction:

Right-hand

Width Across Flats:

Between 0.677 inches and 0.697 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.434 inches and 0.435 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.851 inches and 0.861 inches

First Radial Fluid Hole Diameter:

Between 0.271 inches and 0.291 inches

Distance From First Radial Hole Center To End Of Bolt:

Between 0.781 inches and 0.811 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

Between 1.177 inches and 1.197 inches

Wrenching Feature Height:

Between 0.163 inches and 0.183 inches

Pressure Rating:

6000.000 pounds per square inch

Second End Thready Qty Per Inch (tpi):

20

Second End Thread Size:

0.438 inches

Second End Thread Series Designator:

Unf

Material:

Titanium, mil-t-9047, comp 6

Material Specification:

Ams 6931 assn standard 1st material response and ams 4928q assn standard 2nd material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0