Tube To Boss Straight Adapter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-01-045-0024

Thread Class: 3a all ends Connection Style: Flared (tube) 1st end Connection Type: Threaded external tube 1st end Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated: 0.375 inches 1st end
Connection Style: Flared (tube) 1st end Connection Type: Threaded external tube 1st end Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Flared (tube) 1st end Connection Type: Threaded external tube 1st end Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Connection Type: Threaded external tube 1st end Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Threaded external tube 1st end Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
 3000.0 pounds per square inch single response Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Thread Size: 0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
0.750 inches 2nd end Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
Seat Angle: 37.0 degrees 1st end Outside Diameter Tube Accommodated:
37.0 degrees 1st end Outside Diameter Tube Accommodated:
Outside Diameter Tube Accommodated:
0.375 inches 1st end
Special Features:
Second end boss modified from standard flared tube end
Material:
Aluminum alloy
Media For Which Designed:
Fluid single response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 2, class 2 military specification single treatment response
Thread Series Designator:
Unf all ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A080b0
Mil-std (military Standard):
Mil-a-8625 spec.