

View Online at <https://aerobasegroup.com/nsn/4730-01-048-2142>

Thread Class:

2b 1st end

Connection Style:

Swivel nut flareless (swivel nut attachment method optional)(tube) 1st end

Leg Length:

0.770 inches 2nd end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.562 inches 2nd end

Seat Angle:

12.0 degrees 2nd end

Flow Angle:

45.0 degrees

Seat Radius:

0.260 inches 1st end

Outside Diameter Tube Accommodated:

0.375 inches 2nd end

Material:

Steel comp 1137 or steel comp 1141 or steel comp 4130

Material Specification:

Qq-s-637 federal specification 1st material response or qq-s-637 federal specification 2nd material response or mil-s-6758 military specification 3rd material response

Media For Which Designed:

Fluid single response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Thread Series Designator:

Unf 2nd end

Specification Data:

80205-nas1761 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-s-6758 spec.