

View Online at <https://aerobasegroup.com/nsn/4730-01-057-1722>

**Body Style:**

Plain

**Concentric Hole Depth:**

1.150 inches

**Concentric Hole Diameter:**

0.172 inches

**Overall Length:**

Between 1.834 inches and 1.854 inches

**First End Connection Type:**

Threaded external tube

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Cotter Pin Hole Diameter:**

0.060 inches

**Width Across Flats:**

0.680 inches

**First End Thread Length:**

Between 0.469 inches and 0.494 inches

**Wrenching Feature Style:**

Hexagon

**Distance From Bolt End To Hole Center:**

Between 1.726 inches and 1.746 inches

**First Diameter From Wrenching Feature:**

Between 0.430 inches and 0.432 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 1.247 inches and 1.252 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

Between 1.641 inches and 1.661 inches

**First Radial Fluid Hole Diameter:**

0.172 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 1.021 inches and 1.041 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.646 inches and 1.666 inches

**Wrenching Feature Height:**

Between 0.168 inches and 0.208 inches

**First End Thready Qty Per Inch (tpi):**

20

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.4375 inches

**Material:**

Stainless steel

**Material Specification:**

Ams5659 15-5ph assn standard single material response

**Surface Treatment:**

Passivate or cadmium

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification 2nd treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A121a0