

View Online at <https://aerobasegroup.com/nsn/4730-01-058-8534>

**Body Style:**

Plain

**Concentric Hole Depth:**

0.300 inches

**Concentric Hole Diameter:**

Between 0.103 inches and 0.108 inches

**Overall Length:**

0.620 inches

**First End Connection Type:**

Threaded external tube

**First End Thread Class:**

2a

**First End Thread Direction:**

Right-hand

**Width Across Flats:**

0.375 inches

**First End Thread Length:**

0.380 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

0.250 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

0.050 inches

**First Radial Fluid Hole Diameter:**

Between 0.039 inches and 0.044 inches

**Distance From First Radial Hole Center To End Of Bolt:**

0.370 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

0.430 inches

**Wrenching Feature Height:**

0.190 inches

**First End Thread Qty Per Inch (tpi):**

20

**First End Thread Series Designator:**

Unc

**First End Thread Size:**

0.250 inches

**Special Features:**

Concentric hole counterbored 0.168 in. Min 0.173 in. Maximum diameter 0.110 in. Dp

**Material:**

Copper alloy

**Material Specification:**

Qq-b-626, alloy 22 federal specification single material response

**Surface Treatment:**

Tin

**Surface Treatment Specification:**

Mil-t-10727, type 1 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0

**Mil-std (military Standard):**

Mil-t-10727 spec.