NSN 4730-01-092-5606

Flange To Hose Elbow - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-092-5606

| Bolt Hole Quantity: |
|--|
| 15 1st end |
| |
| Maximum Operating Temp: |
| 200.0 degrees fahrenheit single response |
| Connection Style: |
| Plain (hose) 2nd end |
| Leg Length: |
| 9.700 inches 1st end |
| Flange Shape: |
| Round with holes 1st end |
| Connection Type: |
| Unthreaded external hose 2nd end |
| Maximum Operating Pressure: |
| 600.0 pounds per square inch single response |
| Flow Angle: |
| 90.0 degrees |
| Outside Diameter: |
| 15.000 inches 1st end |
| Thickness: |
| 1.440 inches 1st end |
| Bolt Hole Diameter: |
| 0.810 inches 1st end |
| Bolt Circle Diameter: |
| 13.440 inches 1st end |
| Flange Face Design: |
| Plain 1st end |
| Inside Diameter Hose Accommodated: |
| 0.500 inches 2nd end |
| Material: |
| Nickel alloy bolt |
| Material Specification: |
| Qq-n-286, class a or b federal specification single material response bolt |
| Media For Which Designed: |
| Water-oil-gas single response |
| Furnished Items And Quantity: |
| 1 segmented hose socket assembly |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 4730-01-092-5606

Flange To Hose Elbow - Page 2 of 2



Fiig:

A080b0

Mil-std (military Standard):

Mil-b-24480 spec.