NSN 4730-01-103-3202

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-103-3202

| Body Style: |
|--|
| Plain |
| Concentric Hole Depth: |
| 0.703 inches |
| Concentric Hole Diameter: |
| 0.156 inches |
| Overall Length: |
| 0.812 inches |
| First End Connection Type: |
| Threaded external tube |
| First End Style Designator: |
| Plain |
| First End Thread Direction: |
| Right-hand |
| Width Across Flats: |
| 0.469 inches |
| First End Thread Length: |
| 0.375 inches |
| Wrenching Feature Style: |
| Hexagon |
| First Diameter From Wrenching Feature: |
| 0.312 inches |
| Length From Bearing Surface Of Wrenching Feature To End Of First Diameter: |
| 0.297 inches |
| First Radial Fluid Hole Diameter: |
| 0.125 inches |
| Distance From First Radial Hole Center To End Of Bolt: |
| 0.438 inches |
| Length From Bearing Surface Of Wrenching Feature To Bolt End: |
| 0.641 inches |
| Wrenching Feature Height: |
| 0.156 inches |
| First End Thread Series Designator: |
| Si |
| First End Thread Size: |
| 8.000 inches |
| First End Thread Pitch In Millimeters: |
| 1.00 |
| Special Features: |
| Supports grumman aerospace corporation a10 aircraft |
| Material: |
| Steel |

NSN 4730-01-103-3202

Fluid Passage Bolt - Page 2 of 2



| She | lf | I if | ρ. |
|-----|-----|------|----|
| ~ | ••• | | • |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0