## NSN 4730-01-109-1912

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-109-1912

**Body Style:** 

Relieved

**Concentric Hole Depth:** 

Between 0.300 inches and 0.340 inches

**Concentric Hole Diameter:** 

Between 0.059 inches and 0.065 inches

**Overall Length:** 

Between 1.150 inches and 1.190 inches

**First End Connection Type:** 

Threaded external boss

First End Style Designator:

External seat for gasket seal (boss)

First End Thread Class:

2a

**First End Thread Direction:** 

Right-hand

Width Across Flats:

0.620 inches

First End Thread Length:

0.290 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.424 inches and 0.429 inches

Second Diameter From Wrenching Feature:

0.345 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.0750 inches and 0.090 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.750 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:

Between 0.913 inches and 0.917 inches

First Radial Fluid Hole Diameter:

Between 0.059 inches and 0.065 inches

**Distance From First Radial Hole Center To End Of Bolt:** 

0.227 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

Between 0.913 inches and 0.917 inches

**Wrenching Feature Height:** 

Between 0.137 inches and 0.173 inches

First End Thread Series Designator:

Unf

## NSN 4730-01-109-1912

Fluid Passage Bolt - Page 2 of 2



|    |     |            |    |      | •    |    |
|----|-----|------------|----|------|------|----|
| -1 | ret | <b>-nd</b> | Ιh | read | 8176 | ٦. |
|    |     |            |    |      |      |    |

0.500 inches

Material:

Steel comp 4140

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A121a0