

View Online at <https://aerobasegroup.com/nsn/4730-01-124-3754>

Body Style:

Plain

Concentric Hole Depth:

1.031 inches

Concentric Hole Diameter:

0.297 inches

Overall Length:

1.562 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Inverted flare

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Width Across Flats:

0.813 inches

First End Thread Length:

Any acceptable

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.560 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.968 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

Any acceptable

First Radial Fluid Hole Diameter:

0.250 inches

Distance From First Radial Hole Center To End Of Bolt:

0.859 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.358 inches

Wrenching Feature Height:

0.210 inches

First End Thread Series Designator:

Unjf

First End Seat Angle:

45.0 degrees

First End Thread Size:

0.562 inches

Material:

Aluminum alloy

Material Specification:

Qq-a-225/4 federal specification single material response or qq-a-225/6 federal specification single material response or qq-a-225/9 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, class 2 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0

Mil-std (military Standard):

Mil-a-8625 spec.