

View Online at <https://aerobasegroup.com/nsn/4730-01-126-5998>

Body Style:

Relieved

Concentric Hole Depth:

0.820 inches

Concentric Hole Diameter:

0.125 inches

Overall Length:

Between 1.141 inches and 1.173 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Flared

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Width Across Flats:

0.580 inches

First End Thread Length:

0.531 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.309 inches and 0.312 inches

Second Diameter From Wrenching Feature:

0.312 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.090 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.340 inches

First Radial Fluid Hole Diameter:

0.125 inches

Distance From First Radial Hole Center To End Of Bolt:

0.754 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

0.969 inches

Wrenching Feature Height:

Between 0.172 inches and 0.201 inches

First End Thread Series Designator:

Unf

First End Seat Angle:

45.0 degrees

First End Thread Size:

0.312 inches

Material:

Steel comp 4140

Material Specification:

Mil-s-18732 military specification single material response

Surface Treatment:

Passivate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0

Mil-std (military Standard):

Mil-s-18732 spec.