

View Online at <https://aerobasegroup.com/nsn/4730-01-136-0765>

Thread Class:

3b 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Connection Style:

Swivel nut, flareless (swivel nut attachment method optional) (tube) 1st end

Leg Length:

0.490 inches 1st end and 0.560 inches 1st end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

1000.0 pounds per square inch single response

Thread Size:

0.500 inches 1st end

Seat Angle:

12.0 degrees 1st end

Flow Angle:

45.0 degrees

Inside Diameter Hose Accommodated:

0.281 inches 2nd end

Outside Diameter Hose Accommodated:

0.486 inches 2nd end

Outside Diameter Tube Accommodated:

0.312 inches 1st end

Material:

Aluminum alloy 2024 and aluminum alloy 6061

Material Specification:

Qq-a-225/6, t6 federal specification single material response or qq-a-225/6, t851 federal specification single material response or qq-a-225/8, t6 federal specification single material response or qq-a-225/8, t651 federal specification single material response

Media For Which Designed:

Oil 2nd response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Thread Series Designator:

Unjf 1st end

Specification Data:

81349-mil-f-83798/5 government specification

Specification Or Standard:

5 size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-a-8625 spec.