

View Online at <https://aerobasegroup.com/nsn/4730-01-139-1585>

Thread Class:

2b 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit 1st response

Connection Style:

Swivel nut, flare (tube) style 3 optional end 1st end

Leg Length:

1.625 inches 1st end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.875 inches all ends

Seat Angle:

37.0 degrees all ends

Flow Angle:

90.0 degrees

Outside Diameter Tube Accommodated:

0.625 inches all ends

Material:

Steel comp 12114

Material Specification:

66 federal standard single material response

Media For Which Designed:

Hydraulic fluid 1st response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Mil-c-81562, type 1, class 3 military specification single treatment response

Thread Series Designator:

Unf all ends

Furnished Items And Quantity:

1 flared sleeve and 1 tube coupling nut

Specification Data:

96906-ms51521 government standard and 81349-mil-f-18866 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0

Mil-std (military Standard):

Mil-c-81562 spec.