

View Online at <https://aerobasegroup.com/nsn/4730-01-139-1585>

**Thread Class:**

2b 1st end

**Maximum Operating Temp:**

250.0 degrees fahrenheit 1st response

**Connection Style:**

Swivel nut, flare (tube) style 3 optional end 1st end

**Leg Length:**

1.625 inches 1st end

**Connection Type:**

Threaded internal tube 1st end

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

0.875 inches all ends

**Seat Angle:**

37.0 degrees all ends

**Flow Angle:**

90.0 degrees

**Outside Diameter Tube Accommodated:**

0.625 inches all ends

**Material:**

Steel comp 12l14

**Material Specification:**

66 federal standard single material response

**Media For Which Designed:**

Hydraulic fluid 1st response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Mil-c-81562, type 1, class 3 military specification single treatment response

**Thread Series Designator:**

Unf all ends

**Furnished Items And Quantity:**

1 flared sleeve and 1 tube coupling nut

**Specification Data:**

96906-ms51521 government standard and 81349-mil-f-18866 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A080b0

**Mil-std (military Standard):**

Mil-c-81562 spec.