

View Online at <https://aerobasegroup.com/nsn/4730-01-161-1247>

**Concentric Hole Depth:**

Between 2.250 inches and 2.310 inches

**Concentric Hole Diameter:**

Between 0.168 inches and 0.175 inches

**Overall Length:**

Between 2.411 inches and 2.494 inches

**Width Across Flats:**

Between 0.739 inches and 0.753 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.492 inches and 0.500 inches

**Second Diameter From Wrenching Feature:**

Between 0.418 inches and 0.420 inches

**Third Diameter From Wrenching Feature:**

Between 0.308 inches and 0.310 inches

**Fourth Diameter From Wrenching Feature:**

Between 0.418 inches and 0.420 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.347 inches and 0.352 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

Between 1.003 inches and 1.023 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:**

Between 1.107 inches and 1.117 inches

**First Radial Fluid Hole Diameter:**

Between 0.160 inches and 0.180 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.370 inches and 0.375 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.636 inches and 1.669 inches

**Wrenching Feature Height:**

Between 0.240 inches and 0.260 inches

**Material:**

Steel comp 316 or steel comp 347

**Material Specification:**

Qq-s-763 cond a federal specification all material responses

**Surface Treatment:**

Passivate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A121a0