## NSN 4730-01-236-7166

Tube To Hose Straight Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-236-7166

**Thread Class:** 

3b 1st end

**Maximum Operating Temp:** 

427.0 degrees fahrenheit single response

**Connection Style:** 

Swivel nut, flare (tube) style 3 optional end 1st end

**Connection Type:** 

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

12 1st end

**Maximum Operating Pressure:** 

1000.0 pounds per square inch single response

**Thread Size:** 

1.875 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Inside Diameter Hose Accommodated:** 

1.375 inches 2nd end

**Outside Diameter Hose Accommodated:** 

1.672 inches 2nd end

**Outside Diameter Tube Accommodated:** 

1.500 inches 1st end

Nominallength:

5.260 inches

Material:

Steel

Media For Which Designed:

Hydraulic fluid single response

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Mil-f-27272 military specification single treatment response

**Thread Series Designator:** 

Unj 1st end

**Furnished Items And Quantity:** 

1 hose coupling nut and 1 hose coupling sleeve

**Specification Data:** 

96906-ms27053 government standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 4730-01-236-7166

Tube To Hose Straight Adapter - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-f-27272 spec.