NSN 4730-01-248-4011

Sediment Strainer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-248-4011

Mounting Type: Unthreaded hole top side Mounting Hole Diameter: 0.625 inches Mounting Hole Quantity: 4 Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: V strainer w/bolted cover Shelf Life: N/a Init Of Measure:	
Mounting Hole Diameter: 0.625 inches Mounting Hole Quantity: 4 Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Raised Face Height: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Mounting Type:
Mounting Hole Quantity: 4 Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Unthreaded hole top side
Mounting Hole Quantity: 4 Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Mounting Hole Diameter:
Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	0.625 inches
Body Length: 4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Mounting Hole Quantity:
4.750 inches Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	4
Mesh Size: 20.0 Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Body Length:
Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	4.750 inches
Maximum Operating Pressure: 150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Mesh Size:
150.0 pounds per square inch Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	20.0
Filtering Media Design: Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Maximum Operating Pressure:
Mesh single filtering media response First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	150.0 pounds per square inch
First Intake Connection Type: Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Filtering Media Design:
Raised face flange top side First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Mesh single filtering media response
First Discharge Connection Relationship To Intake Connection: Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Connection Type:
Identical to first intake connection Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Raised face flange top side
Distance From Bottom Of Body To Center Of Inlet: 2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Discharge Connection Relationship To Intake Connection:
2.688 inches First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Identical to first intake connection
First Intake Flange Outside Diameter: 3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Distance From Bottom Of Body To Center Of Inlet:
3.500 inches First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	2.688 inches
First Intake Flange Shape Style: Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Outside Diameter:
Round w/unthreaded bolt holes First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	3.500 inches
First Intake Flange Face Style: Raised First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Shape Style:
First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Round w/unthreaded bolt holes
First Intake Flange Thickness: 0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Face Style:
0.188 inches First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Raised
First Intake Flange Raised Face Height: 0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Thickness:
0.062 inches First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	0.188 inches
First Intake Flange Raised Face Diameter: 2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Raised Face Height:
2.375 inches Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	0.062 inches
Material: Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	First Intake Flange Raised Face Diameter:
Stainless steel screening Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	2.375 inches
Material Specification: Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Material:
Astm a216, gr wcb assn standard single material response body Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Stainless steel screening
Style Designator: Y strainer w/bolted cover Shelf Life: N/a	Material Specification:
Y strainer w/bolted cover Shelf Life: N/a	Astm a216, gr wcb assn standard single material response body
Shelf Life: N/a	Style Designator:
N/a	Y strainer w/bolted cover
	Shelf Life:
Unit Of Measure:	N/a
one of measure.	Unit Of Measure:

--

NSN 4730-01-248-4011

Sediment Strainer - Page 2 of 2



em			

No

Fiig:

A24000