

View Online at <https://aerobasegroup.com/nsn/4730-01-294-3284>

Thread Class:

2a

Thread Direction:

Right-hand

Fabrication Method:

Any acceptable

Casehardening Indicator:

Not casehardened

Overall Length:

0.880 inches

Thread Size:

1.062-12

Tube Outside Diameter For Which Designed:

0.750 inches

Seat Angle In Deg:

45.0

Seat Radius:

0.820 inches

Screw Thread Series Designator:

Un

Width Across Flats:

1.060 inches

Smallest Inside Diameter:

0.760 inches

Material:

Steel, qq-s-763 or steel, astm a276, type 347

Material:

Steel comp 202 or steel comp 302 or steel comp 303 or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 309 or steel comp 310 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 322 or steel comp 324 or steel comp 347 or steel comp 633 or steel comp 634 or steel comp 403 or steel comp 405 or steel comp 410 or steel comp 414 or steel comp 416 or steel comp 416se or steel comp 420 or steel comp 430 or steel comp 430f or steel comp 430fse or steel comp 431 or steel comp 440a or steel comp 440b or steel comp 440c or steel comp 440f or steel comp 440fse or steel comp 446 or steel, astm a276, type 347

Material Specification:

Qq-s-763 federal specification 1st material response

Surface Treatment:

Passivate

Style Designator:

Inverted nut, tube, flare

Surface Treatment:

Passivated, qq-p-35

Shelf Life:

N/a

Unit Of Measure:

Fig:

T385-b