

View Online at <https://aerobasegroup.com/nsn/4730-01-319-5932>

Thread Class:

3a first fluid end connection

Overall Length:

2.570 inches

Second Leg Length:

0.550 inches

Quick Disconnect Method:

Twist-lock all ends

Maximum Operating Temp:

65.0 degrees fahrenheit single response

Connection Style:

Flared first fluid end connection

Leg Length:

1.047 inches

Connection Type:

Threaded external tube first fluid end connection

Second End Relationship With First End:

Identical

Maximum Operating Pressure And Media For Which Designed:

3000.0 pounds per square inch hydraulic fluid, petroleum base

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.438 inches first fluid end connection

Seat Angle:

37.0 degrees

Maximum Operating Temperature And Media For Which Designed:

Err-070

Outside Diameter Tube Accommodated:

0.750 inches first fluid end connection

Special Features:

First end bulkhead threads-1/4inch unjf-7/16-20 3a; 1817 series ball bearing plane swivel joints to provide a flexible joint in rigid lines to prevent binding or twisting

Material:

Stainless steel

Special Test Features:

Are qualified to mil-j-5513rev.C

Style Designator:

Coupling assembly

Thread Series Designator:

Unjf first fluid end connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A531s0