Tube Coupling Swage Ferrule - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-01-368-0179

Casenardening indicator: Not casenardening indicator: Not casenardening indicator: Side Uppit: 0.009 inches Side Uppit: 0.760 inches Flange Width: 0.760 inches Flange Width: 0.760 inches Flange Width: 0.760 inches Flange Outside Diameter: 1.480 inches Flange Outside Diameter: 1.480 inches Sideve Outside Diameter: 1.933 inches Sideve Outside Diameter: 1.933 inches Sideve Outside Diameter: 1.942 inches Sideve Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2.12 un-2a Material: Atuminum alloy, qu-a-225/4, alloy 2014, t6 or atuminum alloy, qu-a-225/6, alloy 2024, t851 Material: Atuminum alloy, qu-a-225/4, alloy 2014, t6 or atuminum alloy, qu-a-225/6, alloy 2024, t851 Material: Atuminum alloy, qu-a-225/4, alloy 2014, t6 or atuminum alloy, qu-a-225/6, alloy 2024, t851 Material: Atuminum alloy, qu-a-225/4, alloy 2014, t6 or atuminum alloy, qu-a-225/6, alloy 2024, t851 Material: No Single fitange Surface Treatment: Anodized, milk-a-825, type 2, class 2 Shoff Life: Na Dirit Of Measure: 	
Skot Depth: 0.009 inches Skot Width: Between 0.035 inches and 0.040 inches Overall Length: 0.760 inches Plange Width: 0.250 inches Flange Midth: 0.250 inches Flange Unside Diameter: 1.480 inches Sleeve Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Sleeve Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Materia! Auminum alloy, qq-a-225/4, alloy 2014, 46 or aluminum alloy, qq-a-225/6, alloy 2024, 4851 Materia! Auditary and analy 2014 or aluminum alloy 2024 Syle Designator: Single flange Outside Mia-se625, type 2, class 2 Sheef Life: Na Choff Measure: Te Denilizizzation: <th>Casehardening Indicator:</th>	Casehardening Indicator:
0.009 inches Stor Wich: Between 0.035 inches and 0.040 inches Overall Length: 0.760 inches Plange Widh: 0.250 inches Flange Widh: 0.250 inches Flange Unside Diameter: 1.480 inches Flange Outside Diameter: 1.480 inches Steree Outside Diameter: 1.642 inches Steree Outside Diameter: 1.642 inches Stor Quantity: 5 Hosefube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Materia: Auminum alloy, qu-a-225/6, alloy 2014, t6 or aluminum alloy, qu-a-225/6, alloy 2024, t851 Materia: Austeria:	
Slot Width: Between 0.035 inches and 0.040 inches Overall Length: 0.760 inches Flange Width: 0.250 inches Flange Width: 0.250 inches Flange Width: 0.250 inches Flange Unside Diameter: 1.480 inches Flange Outside Diameter: 1.480 inches Slotewe Outside Diameter: 1.480 inches Slot Quantity: 5 Mosefunctor 1.500 inches Special Features: 1.500 inches Material: Aurnirum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aurnirum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aurnirum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aurnirum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aurnirum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aurnirum alloy aluminum alloy 2	
Between 0.035 inches and 0.040 inches Overall Length: 0.760 inches Flange Width: 0.250 inches Flange Midth: 0.250 inches Flange Underse: 1.480 inches Flange Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Sleeve Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Materiai: Aluminum alloy, qq-a-225/6, alloy 2024, t851 Materiai: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mik-a-8625, type 2, class 2 Sheff Lite: Na Lind Measure: ·- Femiliatrization: No Fig:	
Overall Length:0.760 inchesFlange Width:0.250 inchesFlange Inside Diameter:1.480 inchesFlange Outside Diameter:1.993 inchesSleeve Outside Diameter:1.993 inchesSleeve Outside Diameter:1.642 inchesSlot Quantity:5Hose/tube Outside Diameter For Which Designed:1.500 inchesSpecial Features:Threaded ext 2.12 un.2aMaterial:Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy 2014 or aluminum alloy 2024Sligle flangeSurface Treatment:Andized, mil-a-6625, type 2, class 2Shift Hit:NaNaUnt Of Measure:Formiliarization:NoFig:	
0.760 inchesFlange Width:0.250 inchesFlange Inside Diameter:1.480 inchesFlange Outside Diameter:1.993 inchesSleeve Outside Diameter:1.993 inchesSleeve Outside Diameter:1.642 inchesSlot Quantity:5Hosefuble Outside Diameter For Which Designed:1.500 inchesSpecial Features:Threaded ext 2.12 un.2aMaterial:Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy, 2014 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy, 2014 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy, 2014 or aluminum alloy, 2024Style Designator:Single flangeSurface Treatment:Andized, mil-a-6625, type 2, class 2Sheff Life:NaInto Measure:Termilitarization:NoFig:	
Flange Width: 0.250 inches Flange Inside Diameter: 1.480 inches Flange Outside Diameter: 1.933 inches Sleeve Outside Diameter: 1.480 inches Sleuve Outside Diameter: 1.480 inches Sloutantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Intreaded ext 2-12 un-2a Material: Atuminum alloy, qq-a-225/4, alloy 2014, tfo or aluminum alloy, qq-a-225/6, alloy 2024, tf851 Material: Audrinum alloy 2014 or aluminum alloy 2024 Stel Designator: Single flange Suif Care Treatment: Anodized, mil-a-6825, type 2, class 2 Shell Life: Na Lift Of Measure: - Tot Of Measure: - Tot Of Measure: - Fuellitarization: Na Single Single Single Single Single Single Single Single Single Single <	
0.250 inches Flange Inside Diameter: 1.480 inches Flange Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Slot Quantity: 3 Koselube Outside Diameter For Which Designed: 1.500 inches Special Features: 1.500 inches Special Features: Threade ext 2-12 un-2a Materiat Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Materiat Aluminum alloy 2014 or aluminum alloy 2024 Syle Designator: Single flange Surface Treatment: Andized, mil-a-8625, type 2, class 2 Sheff Life: Na Cit Of Measure: The Source Sour	
Flange Inside Diameter: 1.480 inches Flange Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Stor Quantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Single flange Suffact Teatment: Anodized, mil-a-8625, type 2, class 2 Sheff Life: N/a Tot Of Measure: - Fomilitarization: No Fig:	
1.480 inches Flange Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Slot Quantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Sheff Life: Iva Iva Maesue: Iva Fine: Iva Sheff Life: Iva Fine: Iva Sheff Life: Iva	
Flange Outside Diameter: 1.993 inches Sleeve Outside Diameter: 1.642 inches Slot Quantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Syle Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: Na Init of Measure: Imit of Measure:	
1.99 inches Sleeve Outside Diameter: 1.642 inches Slot Quantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Sheff Life: N/a Int of Measure: Int of Measure: Int of Measure: Image: Fig:	
Sleeve Outside Diameter: 1.642 inches Slot Quantity: 5 Hose/Aube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Burliace Treatment: Nondized, mil-a-8625, type 2, class 2 Sheff Life: N/a Into flamesure: Find flamesure: Into flamesure: Find flamesure: <	
1.642 inches Stot Quantity: 5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Byle Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Sheff Life: Na In of Measure:	
Slot Quantity: 5 Fosc/ube Outside Diameter For Which Designed: 1.500 inches Special Features: Parced ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Aluminum alloy 2014 or aluminum alloy 2024 Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Sheff Life: Na Inf Of Measure: Fomilitarization: No Fig:	
5 Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Miterial: Miteria	
Hose/tube Outside Diameter For Which Designed: 1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Int Of Measure: Pointilatization: No Fig:	Slot Quantity:
1.500 inches Special Features: Threaded ext 2-12 un-2a Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Special Features:Threaded ext 2-12 un-2aMaterial:Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy 2014 or aluminum alloy 2024Aluminum alloy 2014 or aluminum alloy 2024Style Designator:Single flangeSurface Treatment:Anodized, mil-a-8625, type 2, class 2Shelf Life:N/aDeniltarization:NoFig:	
Threaded ext 2-12 un-2aMaterial:Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy 2014 or aluminum alloy 2024Style Designator:Single flangeSurface Treatment:Anodized, mil-a-8625, type 2, class 2Shelf Life:N/aDenilitarization:NoFig:	
Material:Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851Material:Aluminum alloy 2014 or aluminum alloy 2024Style Designator:Single flangeSurface Treatment:Anodized, mil-a-8625, type 2, class 2Shelf Life:N/aUnit Of Measure:-Demilitarization:NoFig:	
Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t851 Material: Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Material:Aluminum alloy 2014 or aluminum alloy 2024Style Designator:Single flangeSurface Treatment:Anodized, mil-a-8625, type 2, class 2Shelf Life:N/aUnit Of Measure:Demilitarization:NoFig:	
Aluminum alloy 2014 or aluminum alloy 2024 Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Fig:	
Style Designator: Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig:	
Single flange Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Surface Treatment: Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Anodized, mil-a-8625, type 2, class 2 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
N/a Unit Of Measure: Demilitarization: No Fiig:	
Unit Of Measure: Demilitarization: No Fiig:	
 Demilitarization: No Fiig:	
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	
Т385-ј	Fiig:
	Т385-ј