

View Online at <https://aerobasegroup.com/nsn/4730-01-395-3463>

Mounting Type:

Inlet connection line and outlet connection line

Body Length:

8.438 inches

End Application:

Ships; 170 ft patrol coastal (pc-1) class

Perforation Diameter:

0.045 inches

Perforation Quantity:

225.0 per square inch

Temperature Rating:

Between 150.0 degrees fahrenheit and 405.0 degrees fahrenheit

Maximum Operating Pressure:

225.0 pounds per square inch

Filtering Media Design:

Perforated single filtering media response

First Intake Connection Type:

Plain face flange line

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

Distance From Bottom Of Body To Center Of Inlet:

6.000 inches

First Intake Flange Outside Diameter:

6.000 inches

First Intake Flange Shape Style:

Round w/unthreaded bolt holes

First Intake Flange Face Style:

Plain

First Intake Flange Thickness:

0.750 inches

Special Features:

Gasket; non-asbestos; plug not furnished; working pressure; steam 150 psi, wog 225 psi; temp rating; steam 405 degrees f, wog 150 degrees f; removal clearance - 8 1/2 inches required

Material:

Steel comp 316 filtering medium

Material Specification:

Astm b62 assn standard single material response body

Media For Which Designed:

Fuel/oil, hydrocarbon and gas and water

Style Designator:

Y strainer w/bolted cover

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000