## NSN 4730-01-400-3399

Sediment Strainer - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/4730-01-400-3399 |
|---|
| Mounting Type:  |
| Inlet connection line and outlet connection line              |
| Body Length:  |
| 25.188 inches   |
| End Application:  |
| Ships; arleigh burke class ddg                                |
| Perforation Diameter:   |
| 0.094 inches  |
| Tempurature Rating:   |
| 420.0 degrees fahrenheit                                      |
| Maximum Operating Pressure:                                   |
| 500.0 pounds per square inch                                  |
| Filtering Media Design:                                       |
| Perforated single filtering media response                    |
| First Intake Connection Type:                                 |
| Plain face flange line  |
| First Discharge Connection Relationship To Intake Connection  |
| Identical to first intake connection                          |
| Distance From Bottom Of Body To Center Of Inlet:              |
| 16.500 inches   |
| First Intake Flange Outside Diameter:                         |
| 12.375 inches   |
| First Intake Flange Shape Style:                              |
| Round w/unthreaded bolt holes                                 |
| First Intake Flange Face Style:                               |
| Plain   |
| First Intake Flange Thickness:                                |
| 1.313 inches  |
| Special Features:   |
| Design conditions; 300psi at 420deg f; 500psi at 150deg f     |
| Material:   |
| Copper alloy body   |
| Material Specification:                                       |
| Astm b-61 assn standard single material response body         |
| Media For Which Designed:                                     |
| Water   |
| Style Designator:   |
| Y strainer w/blow-off plug                                    |
| Shelf Life:   |
| N/a   |

--

**Unit Of Measure:** 

## NSN 4730-01-400-3399

Sediment Strainer - Page 2 of 2



| _  |     |         |     |     |    |  |
|----|-----|---------|-----|-----|----|--|
| 11 | em) | <br>tor | 172 | + 1 | nn |  |
|    |     |         |     |     |    |  |

No

Fiig:

A24000