NSN 4730-01-412-5241

Sediment Strainer - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/4730-01-412-5241 |
|---|
| Mounting Type: |
| Inlet connection line and outlet connection line |
| Body Length: |
| 10.000 inches |
| Body Outside Diameter: |
| 10.500 inches |
| Perforation Diameter: |
| 0.250 inches |
| Perforation Quantity: |
| 8.0 per square inch |
| Tempurature Rating: |
| 160.0 degrees fahrenheit |
| Filtering Media Design: |
| Perforated single filtering media response |
| First Intake Connection Type: |
| Plain face flange line |
| First Discharge Connection Relationship To Intake Connection: |
| Identical to first intake connection |
| First Intake Flange Outside Diameter: |
| 9.060 inches |
| First Intake Flange Shape Style: |
| Round w/threaded bolt holes |
| First Intake Flange Face Style: |
| Recessed |
| First Intake Thread Size: |
| 0.625 inches |
| First Intake Flange Thickness: |
| 1.250 inches |
| First Intake Thready Qty Per Inch (tpi): |
| 11 |
| First Intake Thread Class: |
| 2b |
| First Intake Flange Recess Diameter: |
| 5.320 inches |
| First Intake Flange Recess Depth: |
| 1.000 inches |
| First Intake Thread Direction: |
| Right-hand |
| Material: |
| Copper alloy body |

Material Specification:

Mil-c-24679 military specification single material response body

NSN 4730-01-412-5241

Sediment Strainer - Page 2 of 2



| Media For Which Designed: |
|---------------------------|
| Water |
| Style Designator: |
| Inline (hydraulic) |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A24000 |
| |

Mil-std (military Standard):

Mil-c-24679 spec.