## NSN 4730-01-442-0614

Sediment Strainer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-442-0614

| Mounting Type:  |
|---|
| Inlet connection line and outlet connection line              |
| Body Length:  |
| 10.062 inches   |
| End Application:  |
| Mars class afs  |
| Perforation Diameter:   |
| 0.057 inches  |
| Perforation Quantity:   |
| 144.0 per square inch   |
| Tempurature Rating:   |
| Between 100.0 degrees fahrenheit and 450.0 degrees fahrenheit |
| Maximum Operating Pressure:                                   |
| 225.0 pounds per square inch                                  |
| Filtering Media Design:                                       |
| Perforated single filtering media response                    |
| First Intake Connection Type:                                 |
| Plain face flange line  |
| First Discharge Connection Relationship To Intake Connection: |
| Identical to first intake connection                          |
| Distance From Bottom Of Body To Center Of Inlet:              |
| 7.438 inches  |
| First Intake Flange Outside Diameter:                         |
| 7.000 inches  |
| First Intake Flange Shape Style:                              |
| Round w/unthreaded bolt holes                                 |
| First Intake Flange Face Style:                               |
| Plain   |
| First Intake Flange Thickness:                                |
| 0.875 inches  |
| Material:   |
| Nickel alloy filtering medium                                 |
| Media For Which Designed:                                     |
| Water   |
| Style Designator:   |
| Y strainer w/bolted cover                                     |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |

No

## **NSN 4730-01-442-0614** Sediment Strainer - Page 2 of 2



Fiig:

A24000