

View Online at <https://aerobasegroup.com/nsn/4730-01-459-3191>

**Body Style:**

Plain

**Concentric Hole Depth:**

3.695 inches

**Concentric Hole Diameter:**

Between 0.242 inches and 0.245 inches

**Overall Length:**

5.250 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Flared

**First End Thread Class:**

2a

**First End Thread Direction:**

Right-hand

**Second End Seat Radius:**

0.405 inches

**End Application:**

Used on aircraft carrier cva (n) 65, upper stage sass elevator, sts hatch cover hangar deck

**Width Across Flats:**

1.625 inches

**First End Thread Length:**

9.000 inches

**Wrenching Feature Style:**

Octagon

**First Diameter From Wrenching Feature:**

0.250 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

3.375 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

4.5625 inches

**First Radial Fluid Hole Diameter:**

0.375 inches

**Distance From First Radial Hole Center To End Of Bolt:**

3.695 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

4.625 inches

**Wrenching Feature Height:**

0.625 inches

**First End Thread Series Designator:**

Unc

**First End Seat Angle:**

30.0 degrees

**First End Thread Size:**

0.875 inches

**Special Features:**

Item is a spindle for a dog

**Material:**

Stainless steel

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A121a0