## NSN 4730-01-460-7510

Sediment Strainer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-460-7510

Thread Direction:
Right-hand
Mounting Type:
Outlet connection center
Body Length:
43.750 inches
Body Width:
25.250 inches
Body Height:
43.500 inches
Mounting Facility Thread Direction:
Right-hand
Perforation Diameter:
0.250 inches
Perforation Quantity:
36.0 per square inch
Tempurature Rating:
85.0 degrees fahrenheit
Maximum Operating Pressure:
225.0 pounds per square inch
Filtering Media Design:
Perforated single filtering media response
First Intake Connection Type:
Plain face flange center
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
24.000 inches
First Intake Flange Outside Diameter:
12.375 inches
First Intake Flange Shape Style:
Round w/unthreaded bolt holes
First Discharge Flange Shape Style:
Round w/unthreaded bolt holes
First Discharge Flange Outside Diameter:
12.375 inches
First Intake Flange Face Style:
Recessed
First Discharge Flange Face Style:
Recessed
First Intake Flange Thickness:

0.625 inches

## **NSN 4730-01-460-7510** Sediment Strainer - Page 2 of 2



First Discharge Flange Thickness:
0.625 inches
First Intake Flange Recess Diameter:
Between 8.330 inches and 8.340 inches
Err Default:
Err default and err default
First Intake Flange Recess Depth:
0.625 inches
Err Default:
Err default
Material:
Copper alloy body
Material Specification:
Astm b61 national specification single material response body
Media For Which Designed:
Water
Style Designator:
Twin strainer w/bolted cover
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A24000