

View Online at <https://aerobasegroup.com/nsn/4730-01-467-1333>

Overall Length:

0.950 inches

Err Default:

Err default

Err Default:

Err default

Second End Flange Thickness:

0.950 inches

Err Default:

Err default

Err Default:

Err default

Quick Disconnect Method:

Push-pull all ends

Maximum Operating Temp:

175.0 degrees fahrenheit single response

End Application:

Cart, support equipmen (se) b-2 bomber aircraft

Basic Shape Style:

Rectangular w/ out bolt holes first fluid end connection

Connection Style:

Swivel flange, raised first fluid end connection

Width:

2.000 inches

Length:

2.000 inches

First End Internal Thread Length:

0.205 inches

Second End Internal Thread Length:

0.205 inches

Connection Type:

Flange first fluid end connection

Second End Relationship With First End:

Identical

Maximum Operating Pressure And Media For Which Designed:

250.0 pounds per square inch air

Maximum Operating Pressure:

250.0 pounds per square inch single response

Maximum Operating Temperature And Media For Which Designed:

175.0 degrees fahrenheit air

Thickness:

0.950 inches

Raised Face Height:

0.205 inches

Raised Face Diameter:

1.330 inches

Special Features:

Quickclamp couples norgren excelon modular components for compressed air system; flanges on components slide into v grooves and sealed with face sealing o'rings; v groove depth is 0.102 inch

Material:

Aluminum

Surface Treatment:

Paint

Style Designator:

Coupling assembly, threaded internal

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A531s0