

View Online at <https://aerobasegroup.com/nsn/4730-01-467-2505>

Mounting Type:

Inlet connection side and outlet connection side

Body Length:

5.000 inches

End Application:

Strainer; wsd: nimitz class cvn

Perforation Diameter:

0.020 inches

Perforation Quantity:

830.0 per square inch

Maximum Operating Pressure:

375.0 pounds per square inch

Filtering Media Design:

Perforated single filtering media response

First Intake Connection Type:

Socket welding side

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

Distance From Bottom Of Body To Center Of Inlet:

2.500 inches

First Intake Inside Diameter:

0.500 inches

First Discharge Inside Diameter:

0.500 inches

Special Features:

Distance from bottom of body to center of inlet, plus required inches for screen removal 4.250; strainers hydrotested to 375 psig for a period of 60 minutes

Material:

Stainless steel screening

Material Specification:

Qq-n-281, cl a federal specification single material response frame

Media For Which Designed:

Any acceptable

Style Designator:

Y strainer w/threaded cover

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000

Mil-std (military Standard):

Mil-r-83248 spec.