## NSN 4730-01-477-3313

Sediment Strainer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-477-3313

Thread Direction:
Right-hand
Mounting Type:
Inlet connection line and outlet connection line
Body Length:
5.750 inches
End Application:
Various naval equipment
Perforation Diameter:
0.062 inches
Perforation Quantity:
16.0 per square inch
Maximum Operating Pressure:
375.0 pounds per square inch
Filtering Media Design:
Perforated single filtering media response
First Intake Connection Type:
Threaded external pipe line
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
2.875 inches
First Intake Thread Series Designator:
Npt
First Intake Thread Size:
0.750 inches
First Intake Thread Direction:
Right-hand
Special Features:
Material for body, cap, and tailpiece nut is cast bronze; gasket o-ring of rubber; tailpiece of cu-ni cast bronze; and screen of monel sheet
Material:
Nickel alloy body
Material Specification:
Qq-n-261 cl a assn standard single material response screening
Media For Which Designed:
Water
Special Test Features:
Successfully met all hi-schock rqmts iaw mil-s-901c, equipment class-1, mounting fixture-4c
Style Designator:
Y strainer w/threaded cover
Shelf Life:

N/a

## NSN 4730-01-477-3313

Sediment Strainer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A24000