NSN 4730-01-477-7929

Mil-std (military Standard):

Mil-a-8625 spec.

Quick Disconnect Coupling Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-01-477-7929 **Exterior Color:** Red **Quick Disconnect Size:** 0.250 inches all ends **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **End Application:** Aircraft, stratolifter c-135; kc 135r rvsm Leg Length: 0.500 inches Second End Relationship With First End: Not identical Maximum Operating Pressure And Media For Which Designed: Err-070 **Maximum Operating Pressure:** 125.0 pounds per square inch single response Maximum Operating Tempurature And Media For Which Designed: 180.0 degrees fahrenheit any acceptable **Product Name:** Male assembly self-sealing poppeted positive quick disconnect **Special Features:** O-ring, wire, nut; 2 pin polarity, low pressure drop for pitot/static systems; suitable for light and medium pressures for air or fluid systems Material: Aluminum alloy **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type ii, class 2 military specification single treatment response **Style Designator:** Coupling assembly Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig: A531s0