NSN 4730-01-485-5424

Pipe To Tube Tee - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-485-5424

View Crimina at https://acrossacogrecomynichy in occ C i 100 C i2 i
Thread Class:
2a 2nd end
Maximum Operating Temp:
250.0 degrees fahrenheit single response
End Application:
Hydraulic and air system
Connection Style:
Plain (pipe) 3rd end
Leg Length:
0.660 inches 3rd end
Connection Type:
Threaded internal pipe 3rd end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Outside Diameter Tube Accommodated:
0.250 inches 2nd end
Special Features:
Tube normally connected with sleeve and nut
Material:
Steel
Material Specification:
Mil-f-18866 military specification single material response
Media For Which Designed:
Hydraulic fluid 1st response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416 ty2 cl3 federal specification single treatment response
Thread Series Designator:
Unf 2nd end
Specification Data:
81343-j514 professional/industrial association standard and 96906-ms51513 government standard
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No

NSN 4730-01-485-5424

Pipe To Tube Tee - Page 2 of 2



Fiig:

A080b0

Mil-std (military Standard):

Mil-f-18866 spec.