NSN 4730-01-501-0056

Tube Coupling - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-01-501-0056

| Maximum Operating Temp: |
|---|
| 100.0 degrees fahrenheit single response |
| End Application: |
| Los angeles class ssn (688) |
| Connection Style: |
| Socket w/ grove (tube) all ends |
| Connection Type: |
| Unthreaded internal tube all ends |
| Maximum Operating Pressure: |
| 1050.0 pounds per square inch single response |
| Outside Diameter: |
| 2.250 inches all ends |
| Outside Diameter Tube Accommodated: |
| 1.500 inches all ends |
| Nominallength: |
| 3.310 inches |
| Product Name: |
| Coupling center |
| Special Features: |
| Nha reverse osmosis pressure vessel; id both ends 1.502-1.503 in x 1.36 in deep, o-ring groove id 1.736-1.738 in, center id 1.15 x 0.590 in |
| ong; 45 degree chamfer cut on id of ea end |
| Material: |
| Copper alloy 715 |
| Material Specification: |
| Mil-c-15726 aly-c71500 form-rod tem-h01 military specification single material response |
| Style Designator: |
| Plain |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |
| Filg: |
| A080b0 |
| Mil-std (military Standard): |
| Mil-c-15726 spec. |
| |
| |