

View Online at <https://aerobasegroup.com/nsn/4730-01-507-7401>

**Thread Direction:**

Right-hand

**Mounting Type:**

Threaded hole bottom side

**Mounting Hole Quantity:**

2

**Body Length:**

13.750 inches

**Body Height:**

16.500 inches

**Distance Between Mounting Hole Centers:**

3.250 inches

**End Application:**

Ship; check valve

**Mounting Facility Thread Direction:**

Right-hand

**Perforation Diameter:**

0.125 inches

**Perforation Quantity:**

32.0 per square inch

**Features Provided:**

Drain plug

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

150.0 pounds per square inch

**Filtering Media Design:**

Perforated single filtering media response

**First Intake Connection Type:**

Plain face flange side

**Mounting Facility Thread Size:**

0.750 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**Distance From Bottom Of Body To Center Of Inlet:**

11.4375 inches

**First Intake Flange Outside Diameter:**

6.620 inches

**First Intake Flange Shape Style:**

Round w/unthreaded bolt holes

**First Intake Flange Face Style:**

Plain

**First Intake Flange Thickness:**

1.520 inches

**Product Name:**

Model is-10f-150 3in simplex strainer

**Special Features:**

Bolt hole circle diameter 5.5 inch with 8 bolt holes; 304 stainless steel basket

**Material:**

Stainless steel filtering medium

**Material Specification:**

Astm b62 assn standard 1st material response body

**Media For Which Designed:**

Fuel/oil, hydrocarbon and gas and water

**Style Designator:**

Diverted flow basket strainer w/bolted cover

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000