NSN 4730-01-512-0583

Sediment Strainer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-01-512-0583

Mounting Type:
Unthreaded hole side
Mounting Hole Quantity:
4
Body Length:
6.190 inches
Body Height:
7.750 inches
End Application:
Strainer simplex 1 inch 150flge 1/16p-30 mesh
Mesh Size:
30.0
Tempurature Rating:
425.0 degrees fahrenheit
Features Provided:
Drain plug
Maximum Operating Pressure:
150.0 pounds per square inch
Filtering Media Design:
Perforated single filtering media response
First Intake Connection Type:
Plain face flange side
Second Intake Connection Relationship To First Intake Connection:
Identical
Second Intake Connection Type:
Plain face flange side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
4.630 inches
First Intake Flange Shape Style:
Round w/unthreaded bolt holes
First Discharge Flange Shape Style:
Round w/unthreaded bolt holes
First Intake Flange Face Style:
Plain
First Discharge Flange Face Style:
Plain
Product Name:
1 " is-15-f-150 bronze 3/16p

Special Features:

Item includes: 1 body, 1 cover, 1 locking bar, 1 locking handle, 1 cover gasket, 1 cleanout plug, 1 air vent, 1 locking handle stud, 1 pivot stud, 1 pivot stud nut, and 1 perforated basket with mesh liner; clearance from bottom of body required is 11.750 in

NSN 4730-01-512-0583

Sediment Strainer - Page 2 of 2

Fiig: A24000



Material:
Copper alloy 836 body
Material Specification:
Astm b62 c83600 assn standard all material responses body
Media For Which Designed:
Fuel/oil, hydrocarbon and gas and water
Style Designator:
Diverted flow basket strainer w/bolted cover
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No