

View Online at <https://aerobasegroup.com/nsn/4730-01-513-8411>

**Thread Class:**

3a all ends

**Maximum Operating Temp:**

135.0 degrees fahrenheit 2nd response

**End Application:**

Rq-4a

**Connection Style:**

Flareless (tube) 1st end

**Leg Length:**

0.976 inches 2nd end

**Connection Type:**

Threaded external tube 1st end

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

0.438 inches 1st end

**Seat Angle:**

37.0 degrees 1st end

**Flow Angle:**

90.0 degrees

**Outside Diameter Tube Accommodated:**

0.250 inches 1st end

**Product Name:**

Fitting, elbow, 90 degree, standard and reducer, bulkhead, flared

**Material:**

Aluminum alloy 2014 or aluminum alloy 7075

**Material Specification:**

Qq-a-367, t6 federal specification 1st material response or qq-a-367, t73 federal specification 2nd material response

**Media For Which Designed:**

Aeronautical fluid single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, ty2, cl2 military specification single treatment response

**Thread Series Designator:**

Unjf 1st end bulkhead

**Specification Data:**

81343-as1038 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A080b0

**Mil-std (military Standard):**

Mil-a-8625 spec.