

View Online at <https://aerobasegroup.com/nsn/4730-01-526-5982>

**Thread Class:**

3b 1st end

**Maximum Operating Temp:**

250.0 degrees fahrenheit single response

**Connection Style:**

Swivel nut, flareless (swivel nut attachment method optional) (tube) 1st end

**Leg Length:**

2.130 inches all ends

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

18 1st end

**Maximum Operating Pressure:**

1000.0 pounds per square inch single response

**Thread Size:**

0.562 inches 1st end

**Seat Angle:**

12.0 degrees 1st end

**Flow Angle:**

45.0 degrees

**Inside Diameter Hose Accommodated:**

0.344 inches 2nd end

**Outside Diameter Hose Accommodated:**

0.547 inches 2nd end

**Outside Diameter Tube Accommodated:**

0.469 inches 1st end

**Material:**

Aluminum alloy

**Media For Which Designed:**

Hydraulic fluid single response

**Surface Treatment:**

Anodize

**Test Data Document:**

81349-mil-dtl-83798 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf 1st end

**Specification Data:**

81349-mil-dtl-83798/5 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A080b0