NSN 4730-01-543-2382

Fluid Pressure Line Multiple Connector - Page 1 of 2



raid recours and maniple commetter in age in
View Online at https://aerobasegroup.com/nsn/4730-01-543-2382
Thread Class:
3a
Thread Direction:
Right-hand
Overall Length:
1.688 inches
Overall Width:
4.000 inches
Thickness:
1.687 inches
Thread Size:
1.0625 in12
Thread Provision:
Threaded
Connection Style:
Flared first connection
Bolt Hole Diameter:
1.062 inches
Seat Angle In Deg:
37.0
Screw Thread Series Designator:
Unj
Seat:
Included
Fluid Connection Quantity:
2
Fluid Conveyance Type And Size For Which Designed:
3/4 in. Od tube
Bolt Hole Flats Serrations:
Not provided
Bolt Hole Fluid Passage:
Provided
Material:
Aluminum alloy, qq-a-225/4, alloy 2014, t6
Material:
Aluminum alloy 2014
Surface Treatment:
Anodize
Style Designator:
2 fluid connections
Confess Treatment.

Surface Treatment:

Anodized, mil-a-8625, type 2, class 2

NSN 4730-01-543-2382

Fluid Pressure Line Multiple Connector - Page 2 of 2



Specification [)ata:
-----------------	-------

80205 - 80205-nas555 professional/industrial association standard and 81343-as4875/1 professional/industrial association	standard
--	----------

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T385-g

Mil-std (military Standard):

Mil-f-5509 spec.