

View Online at <https://aerobasegroup.com/nsn/4730-01-651-3240>

**Bolt Hole Quantity:**

1 all ends

**End Application:**

2350-01-458-7318; assault vehicle, full tracked, amphibious

**Width:**

3.00 inches center bulkhead

**Length:**

6.38 inches center bulkhead

**Flange Shape:**

Oval with holes 1st end

**Connection Type:**

Unthreaded tube w/formed end 2nd end

**Min. Tensile Strength (psi):**

40000.0 pounds per square inch

**Minimum Yield Strength:**

24000.0 pounds per square inch

**Bolt Hole Diameter:**

0.495 inches all ends

**Bolt Circle Diameter:**

2.562 inches all ends

**Flange Face Design:**

Plain 1st end

**Inside Diameter Hose Accommodated:**

2.562 inches 2nd end

**Tubing Wall Thickness For Which Designed:**

5.375 inches 2nd end

**Product Name:**

Outlet, bilge tube

**Heat Treatment:**

H-321 strain hardened and h-32 strain hardened, stabilized to 1/4 hard

**Material:**

Aluminum alloy 5052 or aluminum alloy 5086 tube

**Material Specification:**

Qq-t-700/4 military specification 2nd material response or qq-t-700/5 military specification 2nd material response tube

**Style Designator:**

Elbow

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A080b0

**Mil-std (military Standard):**

spec.