## NSN 4810-00-008-7327

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-008-7327 **Thread Class:** 2b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Piston Flow Control Device Normal Operation Position: Open **Connection Style:** Inverted flar (tube) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube all ends **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 18 all ends **Maximum Operating Pressure:** 25.0 pounds per square inch single response **Thread Size:** 0.500 inches all ends Seat Angle: 45.0 degrees all ends **Voltage In Volts And Current Type:** 230.0 ac **Outside Diameter Tube Accommodated:** 0.312 inches all ends Frequency In Hertz: 60.0 Material: Copper alloy body Media For Which Designed: Water-oil-gas single response **Style Designator:** Straight thru **Thread Series Designator:** Uns all ends Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 4810-00-008-7327

Solenoid Valve - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A046b0