Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-010-2784

Thread Direction:	
Right-hand all ends	
Aperture Diameter:	
0.625 inches	
Flow Control Device:	
Diaphragm	
Flow Control Device Normal Operation Position:	
Closed	
Maximum Operating Temp:	
175.0 degrees fahrenheit single response	
Connection Style:	
Plain, optional en (pipe) all ends	
Current Rating In Amps:	
0.150	
Valve Operation Method:	
Solenoid	
Connection Type:	
Threaded internal pipe all ends	
Mounting Position:	
Horizontal or vertical	
Inlet/outlet Operating Pressure Differential:	
125.0 pounds per square inch	
Maximum Operating Pressure:	
300.0 pounds per square inch single response	
Thread Size:	
0.500 inches all ends	
Voltage In Volts And Current Type:	
110.0 ac	
Phase:	
Single	
Frequency In Hertz:	
60.0	
Material:	
Stainless steel flow control device	
Media For Which Designed:	
Air 1st responsegas, inert 2nd responsewater, fresh 3rd resp	onse
Style Designator:	
Straight thru	
Thread Series Designator:	
Npt all ends	
Shelf Life:	
N/a	

NSN 4810-00-010-2784

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

