NSN 4810-00-021-2242

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-021-2242

Thursday Olassa
Thread Class:
3b all ends
Thread Direction:
Right-hand all ends
Offset Distance:
0.500 inches
Flow Control Device:
Plug
Flow Control Device Normal Operation Position:
Open
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
Gasket sea (boss) all ends
Current Rating In Amps:
0.292
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal boss all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.437 inches all ends
Voltage In Volts And Current Type:
24.0 dc
Outside Diameter Tube Accommodated:
0.375 inches all ends
Material:
Aluminum alloy
Media For Which Designed:
Nitrogen, gaseous 3rd response
Surface Treatment:
Anodize
Style Designator:
Straight through w/offset
Thread Series Designator:
Unf all ends
Shelf Life:
N/a

NSN 4810-00-021-2242

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

