## NSN 4810-00-027-9094

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-027-9094

### Thread Direction:

Right-hand 1st end

#### Aperture Diameter:

0.750 inches

#### **Flow Control Device:**

Poppet

#### Flow Control Device Normal Operation Position:

Closed

#### Maximum Operating Temp:

550.0 degrees fahrenheit single response

#### **Connection Style:**

Flared (tube) 1st end

#### Valve Operation Method:

Air

#### Connection Type:

Threaded external tube 1st end

#### Thready Qty Per Inch (tpi):

12 1st end

#### **Power Drive Operating Pressure:**

550.0 pounds per square inch

#### Maximum Operating Pressure:

250.0 pounds per square inch single response

#### **Thread Size:**

1.500 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

#### Voltage In Volts And Current Type:

26.5 dc

#### **Outside Diameter Tube Accommodated:**

0.750 inches 1st end

#### Media For Which Designed:

Air single response

#### Style Designator:

"y" angle

#### **Thread Series Designator:**

Un 1st end

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# **NSN 4810-00-027-9094** Solenoid Valve - Page 2 of 2

Fiig: A046b0

