NSN 4810-00-043-1467

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-043-1467

Pipe Size Accommodated:				
0.500 inches 1st end				
Thread Direction:				
Right-hand 1st end				
Aperture Diameter:				
0.500 inches				
Flow Control Device:				
Diaphragm				
Flow Control Device Normal Operation Position:				
Closed				
Maximum Operating Temp:				
180.0 degrees fahrenheit single response				
Connection Style:				
Plain, optional en (pipe) 1st end				
Current Rating In Amps:				
60.000				
Valve Operation Method:				
Solenoid				
Connection Type:				
Threaded internal pipe 1st end				
Mounting Position:				
Horizontal				
Thready Qty Per Inch (tpi):				
14 1st end				
Maximum Operating Pressure:				
300.0 pounds per square inch single response				
Thread Size:				
0.500 inches 1st end				
Voltage In Volts And Current Type:				
115.0 ac				
Phase:				
Single				
Frequency In Hertz:				
60.0				
Material:				
Rubber synthetic flow control device or stainless steel flow control device				
Style Designator:				
Straight thru				
Thread Series Designator:				
Npt 1st end				
Reference Number Differentiating Characteristics:				

As differentiated by elec rqmts- current, voltage, freq and phase

NSN 4810-00-043-1467

Solenoid Valve - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0