# NSN 4810-00-062-8631

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-062-8631

#### **Thread Direction:**

Right-hand all ends

# **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Closed

# Maximum Operating Temp:

200.0 degrees fahrenheit single response

#### **Connection Style:**

Plain, optional en (pipe) all ends

# Current Rating In Amps:

0.092

Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

**Mounting Position:** 

Horizontal or vertical

#### Maximum Operating Pressure:

125.0 pounds per square inch single response

# Thread Size:

0.125 inches all ends

#### Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

#### Frequency In Hertz:

60.0

#### Material:

Plastic polyamide flow control device and rubber butadiene-acrylonitrile class nbr flow control device

#### Media For Which Designed:

Water-oil-gas single response

#### Style Designator:

Cross

#### **Thread Series Designator:**

Npt all ends

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# **NSN 4810-00-062-8631** Solenoid Valve - Page 2 of 2

Fiig: A046b0

